



DESIGNERS FOUNTAIN®
PROFESSIONAL PRODUCTS



2022 Product Catalog





DISCLAIMERS

- Designers Fountain reserves the right to make product changes without prior notice.
- Product specifications in this catalog are approximate and based on the most current information available at the time of publication.
- Finishes may vary due to multiple chemical processes.
- Bulbs not included unless otherwise noted.
- Wattages stated are the maximum recommended; however, lower wattages may be used.
- Larger, heavier fixtures may require additional support and reinforced outlet boxes.
- Some finishes, especially outdoor fixtures, are subject to change slightly due to prolonged exposure to the sun or extreme weather conditions.
- Designers Fountain products are subject to revision to comply with changes in UL, CSA or the National Electrical Code.

All products are either UL or ETL certified where applicable



TABLE OF CONTENTS

RECESSED	
LED Slim Panel Downlights	2
LED Baffle Kits	2
LED Can-Free Trim	3-5
LED Retrofit Trim & Housing	6-8
LED Housing	8
Incandescent Trim & Housing	9
SURFACE MOUNTS	
LED Disk Lights & Trim	10-11
LED Track Lighting	12-13
Smart LED Flush Mounts	14
LED Flush Mounts	14-16
LED Puff Flush Mounts	17
SCONCES	18-19
BATH VANITIES	20
OUTDOOR	
LED Wall Lanterns	21-22
LED Post Lanterns	22
LED Dark Sky Wall Lanterns	23
SECURITY/ FLOOD LIGHTS	24
WRAPAROUNDS	25
STRIP LIGHTS	26-27
TROFFERS	28
HIGH BAYS	29-30
OTHER LED	
Shop Lights	31
Waterproof Fixtures	31
INDEX	32-33



LEGEND

ADA COMPLIANT		DARK SKY		MOUNT UP OR DOWN	
AIRTIGHT		DLC		TITLE 20	
CAST ALUMINUM		ENERGY STAR		TITLE 24	
DAMP LOCATION		INTERNET OF THINGS		WET LOCATION	

RECESSED LIGHTING

INTEGRATED LED SLIM PANEL DOWNLIGHTS (WAFERS)



EV457Rxx50WH
EV685Rxx50WH
EV814RWMVWH50



EV457Sxx50WH
EV685Sxx50WH
EV814SWMVWH50

Common Features

- White housing
- White lens
- *Selectable CCT: 2700K, 3000K, 3500K, 4000K, 5000K
- 90+ CRI
- IC rated
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Weight
120V and Triac dimming								
EV457RWK50WH	4" Round 5CCT Slim Panel Downlight	See Above*	9.5 W	600 Lm	63 Lm/W	4.75"	0.41"	0.8 lbs.
EV457SWK50WH	4" Square 5CCT Slim Panel Downlight	See Above*	9.5 W	600 Lm	63 Lm/W	4.75"	0.41"	0.9 lbs.
EV685RWK50WH	6" Round 5CCT Slim Panel Downlight	See Above*	12.5 W	850 Lm	68 Lm/W	6.85"	0.41"	1.1 lbs.
EV685SWK50WH	6" Square 5CCT Slim Panel Downlight	See Above*	12.5 W	850 Lm	68 Lm/W	6.85"	0.41"	1.2 lbs.
Universal Voltage 120-277V and 0-10V Dimming								
EV685RWMVWH50	6" Round Slim Panel Downlight	5000K	12.5 W	850 Lm	68 Lm/W	6.85"	0.41"	1.1 lbs.
EV685SWMVWH50	6" Square Slim Panel Downlight	5000K	12.5 W	850 Lm	68 Lm/W	6.85"	0.41"	1.2 lbs.
EV814RWMVWH50	8" Round Slim Panel Downlight	5000K	18 W	1,500 Lm	83 Lm/W	8.85"	0.41"	1.7 lbs.
EV814SWMVWH50	8" Square Slim Panel Downlight	5000K	18 W	1,500 Lm	83 Lm/W	8.85"	0.41"	1.7 lbs.

INTEGRATED LED BAFFLE KITS



EV26081WHxx



EV36081WHxx



EV490111WHxx

Common Features

- White housing
- White lens
- 120V input
- 90+ CRI
- IC rated
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Weight
EV26081WH30	2" Integrated LED Can Free Remodel Baffle Kit	3000K	8 W	550 Lm	69 Lm/W	2.5"	2.5"	0.9 lbs.
EV26081WH40	2" Integrated LED Can Free Remodel Baffle Kit	4000K	8 W	550 Lm	69 Lm/W	2.5"	2.5"	0.9 lbs.
EV36081WH30	3" Integrated LED Can Free Remodel Baffle Kit	3000K	8 W	600 Lm	75 Lm/W	4"	2.5"	0.9 lbs.
EV36081WH40	3" Integrated LED Can Free Remodel Baffle Kit	4000K	8 W	600 Lm	75 Lm/W	4"	2.5"	0.9 lbs.
EV490111WH30	4" Integrated LED Can Free Remodel Baffle Kit	3000K	11 W	900 Lm	82 Lm/W	4"	2.3"	0.9 lbs.
EV490111WH40	4" Integrated LED Can Free Remodel Baffle Kit	4000K	11 W	900 Lm	82 Lm/W	4"	2.3"	0.9 lbs.

INTEGRATED LED CAN FREE TRIM W/REMOTE J-BOX



EV35062RFGWHxx



EV480102RFGWHxx



EV36082WHxx



EV490112WHxx



EV23552WHxx


Common Features

- White housing
 - White lens
 - 120V input
- 90+ CRI
 - IC rated
 - 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Beam Angle	Width	Height	Driver Width	Driver Height	Driver Depth	Ceiling Cutout
EV23552WH30	2" LED Floating Gimbal	3000K	5 W	350 Lm	40°	2.5"	1.625"	2"	1.75"	2.75"	2.125"
EV23552WH40	2" LED Floating Gimbal	4000K	5 W	350 Lm	40°	2.5"	1.625"	2"	1.75"	2.75"	2.125"
EV35062RFGWH30	3" LED Floating Gimbal	3000K	6 W	450 Lm	36°	4.25"	1.25"	3.375"	1.375"	3.375"	3.5"
EV35062RFGWH40	3" LED Floating Gimbal	4000K	6 W	450 Lm	36°	4.25"	1.25"	3.375"	1.375"	3.375"	3.5"
EV36082WH30	3" LED Floating Gimbal	3000K	8 W	600 Lm	36°	3"	2.3"	3.375"	1.375"	3.375"	3.5"
EV36082WH40	3" LED Floating Gimbal	4000K	8 W	600 Lm	36°	3"	2.3"	3.375"	1.375"	3.375"	3.5"
EV480102RFGWH30	4" LED Floating Gimbal	3000K	9 W	600 Lm	30°	4.875"	1.375"	3.375"	1.375"	3.5"	4.125"
EV480102RFGWH40	4" LED Floating Gimbal	4000K	9 W	600 Lm	30°	4.875"	1.375"	3.375"	1.375"	3.5"	4.125"
EV490112WH30	4" LED Floating Gimbal	3000K	12 W	900 Lm	30°	4"	2.3"	3.375"	1.375"	3.5"	4.125"
EV490112WH40	4" LED Floating Gimbal	4000K	12 W	900 Lm	30°	4"	2.3"	3.375"	1.375"	3.5"	4.125"

RECESSED LIGHTING



INTEGRATED LED CAN FREE TRIM W/J-BOX 4" and 6" Baffle Trim w/J-Box



Common Features

- White lens
- 120V input
- 90+ CRI
- Dimmable
- IC rated
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Weight
EV407943WH27	4" LED Deep Baffle Can-Free Trim	2700K	11 W	750 Lm	68 Lm/W	5"	5.75"	1.3 lbs.
EV407943WH30	4" LED Deep Baffle Can-Free Trim	3000K	11 W	750 Lm	68 Lm/W	5"	5.75"	1.3 lbs.
EV407943WH35	4" LED Deep Baffle Can-Free Trim	3500K	11 W	750 Lm	68 Lm/W	5"	5.75"	1.3 lbs.
EV407943WH40	4" LED Deep Baffle Can-Free Trim	4000K	11 W	800 Lm	73 Lm/W	5"	5.75"	1.3 lbs.
EV407943WH50	4" LED Deep Baffle Can-Free Trim	5000K	11 W	800 Lm	73 Lm/W	5"	5.75"	1.3 lbs.
EV608943WH27	6" LED Deep Baffle Can-Free Trim	2700K	12.5 W	900 Lm	72 Lm/W	7.5"	6.13"	1.8 lbs.
EV608943WH30	6" LED Deep Baffle Can-Free Trim	3000K	12.5 W	900 Lm	72 Lm/W	7.5"	6.13"	1.8 lbs.
EV608943WH35	6" LED Deep Baffle Can-Free Trim	3500K	12.5 W	900 Lm	72 Lm/W	7.5"	6.13"	1.8 lbs.
EV608943WH40	6" LED Deep Baffle Can-Free Trim	4000K	12.5 W	900 Lm	72 Lm/W	7.5"	6.13"	1.8 lbs.
EV608943WH50	6" LED Deep Baffle Can-Free Trim	5000K	12.5 W	1,000 Lm	80 Lm/W	7.5"	6.13"	1.8 lbs.

INTEGRATED LED CAN FREE TRIM W/J-BOX

4" & 6" Magnetic Trim



EV407947WHxx



EV608947WHxx



EV612947WHxx

Common Features

- White lens
- Dimmable
- 5-year warranty
- 120V input
- IC rated
- See Trim Ring options on Page 7
- 90+ CRI
- 50,000 hr LED life



Model #	Description	CRI	CCT	Wattage	Lumens	Efficacy	Width	Height	Weight
EV407947WH27	4" LED Magnetic Can-Free Trim	92	2700K	11 W	700 Lm	64 Lm/W	5"	5.75"	1.3 lbs.
EV407947WH30	4" LED Magnetic Can-Free Trim	92	3000K	11 W	700 Lm	64 Lm/W	5"	5.75"	1.3 lbs.
EV407947WH35	4" LED Magnetic Can-Free Trim	92	3500K	11 W	700 Lm	64 Lm/W	5"	5.75"	1.3 lbs.
EV407947WH40	4" LED Magnetic Can-Free Trim	92	4000K	11 W	700 Lm	64 Lm/W	5"	5.75"	1.3 lbs.
EV407947WH50	4" LED Magnetic Can-Free Trim	92	5000K	11 W	700 Lm	64 Lm/W	5"	5.75"	1.3 lbs.
EV608947WH27	6" LED Magnetic Can-Free Trim	93	2700K	11.5 W	900 Lm	78 Lm/W	7.5"	6.13"	1.8 lbs.
EV608947WH30	6" LED Magnetic Can-Free Trim	93	3000K	11.5 W	900 Lm	78 Lm/W	7.5"	6.13"	1.8 lbs.
EV608947WH35	6" LED Magnetic Can-Free Trim	93	3500K	11.5 W	900 Lm	78 Lm/W	7.5"	6.13"	1.8 lbs.
EV608947WH40	6" LED Magnetic Can-Free Trim	93	4000K	11.5 W	900 Lm	78 Lm/W	7.5"	6.13"	1.8 lbs.
EV608947WH50	6" LED Magnetic Can-Free Trim	93	5000K	11.5 W	900 Lm	78 Lm/W	7.5"	6.13"	1.8 lbs.
EV612947WH30	6" LED Magnetic, Can-Free Trim High Lumen	93	3000K	15 W	1,200 Lm	80 Lm/W	7.5"	6.13"	1.8 lbs.
EV612947WH40	6" LED Magnetic, Can-Free Trim High Lumen	93	4000K	15 W	1,300 Lm	87 Lm/W	7.5"	6.13"	1.8 lbs.

RECESSED LIGHTING

INTEGRATED LED RETROFIT TRIM



Common Features

- White lens
- 120V input
- 90+ CRI
- Dimmable
- IC rated
- 50,000 hr LED life

NOTE * = does not qualify for Title 20



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Weight
EVL4733CWH27*	4" LED Deep Baffle - White Trim	2700K	7 W	600 Lm	86 Lm/W	5"	2.75"	0.8 lbs.
EVL4733Cyy30*	4" LED Deep Baffle - See finishes above	3000K	7 W	600 Lm	86 Lm/W	5"	2.75"	0.8 lbs.
EVL4733CWH35*	4" LED Deep Baffle - White Trim	3500K	7 W	600 Lm	86 Lm/W	5"	2.75"	0.8 lbs.
EVL4733CWH40*	4" LED Deep Baffle - White Trim	4000K	7 W	600 Lm	86 Lm/W	5"	2.75"	0.8 lbs.
EVL4733CWH50*	4" LED Deep Baffle - White Trim	5000K	7 W	600 Lm	86 Lm/W	5"	2.75"	0.8 lbs.
EVL6733CWH27	6" LED Deep Baffle - White Trim	2700K	8.5 W	700 Lm	82 Lm/W	7.5"	2.75"	0.8 lbs.
EVL6733Cyy30	6" LED Deep Baffle - See finishes above	3000K	8.5 W	700 Lm	82 Lm/W	7.5"	2.75"	0.8 lbs.
EVL6733CWH35	6" LED Deep Baffle - White Trim	3500K	8.5 W	700 Lm	82 Lm/W	7.5"	2.75"	0.8 lbs.
EVL6733CWH40	6" LED Deep Baffle - White Trim	4000K	8.5 W	700 Lm	82 Lm/W	7.5"	2.75"	0.8 lbs.
EVL6733CWH50	6" LED Deep Baffle - White Trim	5000K	8.5 W	700 Lm	82 Lm/W	7.5"	2.75"	0.8 lbs.
EVL4730NWH30*	4" LED Smooth Regress - White Trim	3000K	8 W	600 Lm	87 Lm/W	5"	2.75"	0.8 lbs.
EVL4730NWH35*	4" LED Smooth Regress - White Trim	3500K	8 W	600 Lm	87 Lm/W	5"	2.7"	0.8 lbs.
EVL6730NWH27	6" LED Smooth Regress - White Trim	2700K	10 W	700 Lm	70 Lm/W	5"	2.7"	0.8 lbs.
EVL6730NWH30	6" LED Smooth Regress - White Trim	3000K	10 W	700 Lm	70 Lm/W	7.5"	2.7"	0.8 lbs.
EVL6730NWH40	6" LED Smooth Regress - White Trim	4000K	10 W	700 Lm	70 Lm/W	7.5"	2.7"	0.8 lbs.
EVL6730NWH50	6" LED Smooth Regress - White Trim	5000K	10 W	700 Lm	70 Lm/W	7.5"	2.7"	0.8 lbs.

6" and 4" LED Gimbal Trim



Common Features

- White lens
- 120V input
- 90+ CRI
- Dimmable
- IC rated
- 50,000 hr LED life
- 5-year warranty
- Finishes (xx) = White (WH), Brushed Nickel (BN), or Bronze (BZ)



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Weight
EVL4742Bxx30	4" LED Gimbal Trim - See finishes above	3000K	9 W	600 Lm	67 Lm/W	5"	2.8"	0.8 lbs.
EVL4742Bxx40	4" LED Gimbal Trim - See finishes above	4000K	9 W	650 Lm	72 Lm/W	5"	2.8"	0.8 lbs.
EVL6742Bxx30	6" LED Gimbal Trim - See finishes above	3000K	12.5 W	800 Lm	64 Lm/W	7.5"	2.8"	0.8 lbs.
EVL6742Bxx40	6" LED Gimbal Trim - See finishes above	4000K	12.5 W	850 Lm	68 Lm/W	7.5"	2.8"	0.8 lbs.

INTEGRATED LED RETROFIT TRIM

6" Magnetic Trim



EVL4741BWHxx



EVL6741BWHxx

Common Features

- White lens
- 120V input
- 90+ CRI
- Dimmable
- IC rated
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Width	Height	Weight
EVL4741BWH30	4" LED Magnetic Smooth Egress Trim	3000K	9 W	600 Lm	5"	2.95"	1.0 lb.
EVL4741BWH40	4" LED Magnetic Smooth Egress Trim	4000K	9 W	600 Lm	5"	2.95"	1.0 lb.
EVL6741BWH30	6" LED Magnetic Smooth Egress Trim	3000K	11 W	800 Lm	7.5"	3.7"	1.6 lbs.
EVL6741BWH40	6" LED Magnetic Smooth Egress Trim	4000K	11 W	800 Lm	7.5"	3.7"	1.6 lbs.

Trim Rings



EVL4741BN



EVL4741BZ



EVL6741BK



EVL4741DCWH



EVL4741SCWH



EVL4741WHWH

Model #	Description	Housing Finish	Width	Height	Weight
EVL4741BN	4" Trim Ring	Brushed Nickel	3.375"	0.75"	0.2 lbs.
EVL4741BZ	4" Trim Ring	Bronze	3.375"	0.75"	0.2 lbs.
EVL4741DCWH	4" Trim Ring - Diffused Chrome Baffle	White	3.375"	0.75"	0.2 lbs.
EVL4741SCWH	4" Trim Ring - Specular Chrome Baffle	White	3.375"	0.75"	0.2 lbs.
EVL4741WHWH	4" Trim Ring - White Baffle	White	3.375"	0.75"	0.2 lbs.
EVL6741BK	6" Trim Ring	Black	5.375"	1"	0.3 lbs.
EVL6741BN	6" Trim Ring	Brushed Nickel	5.375"	1"	0.3 lbs.
EVL6741BZ	6" Trim Ring	Bronze	5.375"	1"	0.3 lbs.
EVL6741DCWH	6" Trim Ring - Diffused Chrome Baffle	White	5.375"	1"	0.3 lbs.
EVL6741SCWH	6" Trim Ring - Specular Chrome Baffle	White	5.375"	1"	0.3 lbs.
EVL6741WHWH	6" Trim Ring - White Baffle	White	5.375"	1"	0.3 lbs.

RECESSED LIGHTING

INTEGRATED LED RETROFIT TRIM



EVL69093CBK30
RB6BKBK9T1440



EVL69093CBZ30
RB6BZBZ9T1440



EVL69093CWH30
RB6WHWH9T1440


Common Features

- White lens
- Dimmable
- 120V input
- IC rated
- 90+ CRI
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Weight
EVL69093Cxx30	6" Deep Baffle - Optional finishes available (xx): White (WH) , Bronze (BZ), and Black (BK)	3000K	11 W	900 Lm	82 Lm/W	7.5"	2.75"	0.8 lbs.
EVL69093CWH40	6" Deep Baffle - White baffle and trim	4000K	11 W	950 Lm	86 Lm/W	7.5"	2.75"	0.8 lbs.
EVL69093CWH50	6" Deep Baffle - White baffle and trim	5000K	11 W	1,000 Lm	91 Lm/W	7.5"	2.75"	0.8 lbs.
RB6WHWH9T1430	6" Deep Baffle - White baffle and trim	3000K	21 W	1,400 Lm	67 Lm/W	7.5"	2.75"	0.8 lbs.
RB6WHWH9T1440	6" Deep Baffle - White baffle and trim	4000K	21 W	1,400 Lm	67 Lm/W	7.5"	2.75"	0.8 lbs.
RB6BZBZ9T1430	6" Deep Baffle - Bronze baffle and trim	3000K	21 W	1,400 Lm	67 Lm/W	7.5"	2.75"	0.8 lbs.
RB6BKBK9T1430	6" Deep Baffle - Black baffle and trim	3000K	21 W	1,400 Lm	67 Lm/W	7.5"	2.75"	0.8 lbs.

LED DEDICATED HOUSING 4" & 6" LED Housing



EVR6SLICATB



EVR6LICATB



EVR6LICRAT



EVR2000LA



EVR2000LR

Common Features


- 120V input
- 1-year warranty
- Suitable for 10AWG copper plated aluminum wire
- IC rated
- Airtight




Model #	Description	Width	Height
EVR6SLICATB	6" Recessed LED Housing, New Construction, Shallow	14"	5.5"
EVR6LICATB	6" Recessed LED Housing, New Construction	14"	7.5"
EVR6LICRAT	6" Recessed LED Housing, Remodel	11"	7.5"
EVR2000LA	4" Recessed LED Housing, New Construction	14"	5.5"
EVR2000LR	4" Recessed LED Housing, Remodel	8.5"	5.5"

INCANDESCENT DEDICATED HOUSING

4" & 6" Incandescent Housing



EVRH5000SICAT



EVRH7ICATB



EVRH7ICRAT



EVRH2000BA



EVRH2000R

Common Features

- 120V input
- 1-year warranty
- IC rated
- Airtight

Model #	Description	Width	Height
EVRH5000SICAT	6" Recessed Housing, New Construction, Shallow	14"	5.5"
EVRH7ICATB	6" Recessed Housing, New Construction	14"	7.5"
EVRH7ICRAT	6" Recessed Housing, Remodel	11"	7.5"
EVRH2000BA	4" Recessed Housing, New Construction	14"	5.5"
EVRH2000R	4" Recessed Housing, Remodel	8.5"	5.5"

INCANDESCENT TRIMS



EVRT601WH



EVRT624CL



EVRT70WH



EVRT634WH
EVRT610MWWH



EVRT610WH
EVRT610MBWH



EVRT205WH



EVRT202CLR




EVRT635WH



EVRT432G2WH



EVRT201LWH



EVRT603WH

Model #	Description	Trim Finish	Width	Height
EVRT601WH	6" Open Trim	White	8"	0.5"
EVRT635WH	6" Airtight Baffle Trim	White	7.25"	5"
EVRT634WH	6" Baffle Trim - Phenolic Plastic	White	7.25"	3"
EVRT610MWWH	6" Baffle Trim - Metal	White	7.25"	3"
EVRT610WH	6" Baffle Trim - Phenolic Plastic	Black	7.25"	3"
EVRT610MBWH	6" Baffle Trim - Metal	Black	7.25"	3"
EVRT603WH	6" Eyeball Trim	White	7.7"	4"
EVRT624CL	6" Reflector Trim	Chrome	7.25"	3"
EVRT70WH	6" Shower Trim	White	8"	1.3"
EVRT201LWH	4" Baffle Trim	White	5.1"	2.5"
EVRT202CLR	4" Reflector Trim	Chrome	5"	2.5"
EVRT205WH	4" Eyeball Trim	White	5"	3"
EVRT432G2WH	4" Shower Trim	White	5"	2.5"

SURFACE MOUNTS

INTEGRATED LED DISK LIGHT



EVDSK46010CWHxx
EVDSK69015CWHxx
EVDSK81825CWHxx

Common Features

- White acrylic lens
- White finish
- 90+ CRI
- 120V input
- Dimmable
- IC rated
- 50,000 hr LED life
- 5-year warranty



Model #	Description	Wattage	Lumens	CCT	Width	Height	Weight
EVDSK46010CWH27	5" Disk Light	10.1 W	600 Lm	2700K	6.25"	1.25"	0.4 lbs.
EVDSK46010CWH30	5" Disk Light	10.1 W	600 Lm	3000K	6.25"	1.25"	0.4 lbs.
EVDSK46010CWH40	5" Disk Light	10.1 W	600 Lm	4000K	6.25"	1.25"	0.4 lbs.
EVDSK69015CWH27	7" Disk Light	15 W	1,000 Lm	2700K	7"	1.25"	0.7 lbs.
EVDSK69015CWH30	7" Disk Light	15 W	1,000 Lm	3000K	7"	1.25"	0.7 lbs.
EVDSK69015CWH40	7" Disk Light	15 W	1,000 Lm	4000K	7"	1.25"	0.7 lbs.
EVDSK81825CWH27	9" Disk Light	25 W	1,700 Lm	2700K	9.5"	1.5"	0.8 lbs.
EVDSK81825CWH30	9" Disk Light	25 W	1,700 Lm	3000K	9.5"	1.5"	0.8 lbs.
EVDSK81825CWH40	9" Disk Light	25 W	1,700 Lm	4000K	9.5"	1.5"	0.8 lbs.



EVDK690DWHxx



EVDK690DBZxx



EVDK690DBKxx

Common Features

- White acrylic lens
- White (WH), Bronze (BZ), and Black (BK) finishes
- 120V input
- 90+ CRI
- Dimmable
- IC rated
- 50,000 hr LED life
- 5-year warranty



Model #	Description	Wattage	Lumens	CCT	Width	Height	Weight
EVDK690DWH27	7" Disk Light	14.3 W	1,000 Lm	2700K	7.5"	1.4"	0.7 lbs.
EVDK690DWH30	7" Disk Light	14.3 W	1,000 Lm	3000K	7.5"	1.4"	0.7 lbs.
EVDK690DWH40	7" Disk Light	14.3 W	1,000 Lm	4000K	7.5"	1.4"	0.7 lbs.
EVDK690DBK30	7" Disk Light	14.3 W	1,000 Lm	3000K	7.5"	1.4"	0.7 lbs.
EVDK690DBK40	7" Disk Light	14.3 W	1,000 Lm	4000K	7.5"	1.4"	0.7 lbs.
EVDK690DBZ30	7" Disk Light	14.3 W	1,000 Lm	3000K	7.5"	1.4"	0.7 lbs.

INTEGRATED LED THIN DISK LIGHT



LED127



LED129

Common Features

- White acrylic lens
- White finish
- 120V input
- Dimmable with LED-rated dimmer switch
- 50,000 hr LED life
- 5-year warranty

Model #	Description	Wattage	Lumens	CCT	Width	Height	Weight
LED127	7" Disk Light	14 W	1,250 Lm	3000K	9"	1"	1.0 lb.
LED129	9" Disk Light	19 W	1,700 Lm	3000K	12"	1"	1.7 lbs.

INTEGRATED LED THIN DISK TRIM OPTIONS



LED1271-OSB
LED1291-OSB



LED1271-SP
LED1291-SP



LED1272-WP
LED1292-WP



LED1274-PN
LED1294-PN



LED1276-SB
LED1296-SB



LED1277-SB
LED1297-SB



LED1279-BK
LED1299-BK



LED1279-CH
LED1299-CH

9" Disk Light Trims

Model #	Finish	Width	Height
LED1271-OSB	Old Satin Brass	9.5"	1.25"
LED1271-SP	Satin Platinum	9.5"	1.25"
LED1272-WP	Weathered Pewter	9.25"	1.5"
LED1274-PN	Polished Nickel	9.5"	2.25"
LED1276-SB	Satin Bronze	9.5"	2.25"
LED1277-SB	Satin Bronze	11.5"	1.25"
LED1279-BK	Black	12"	1.25"
LED1279-CH	Chrome	12"	1.25"

12" Disk Light Trims

Model #	Finish	Width	Height
LED1291-OSB	Old Satin Brass	12"	1.25"
LED1291-SP	Satin Platinum	12"	1.25"
LED1292-WP	Weathered Pewter	11.25"	1.5"
LED1294-PN	Polished Nickel	11.5"	2.25"
LED1296-SB	Satin Bronze	11.5"	2.25"
LED1297-SB	Satin Bronze	13.5"	1.25"
LED1299-BK	Black	15.5"	2.25"
LED1299-CH	Chrome	15.5"	2.25"

SURFACE MOUNTS

INTEGRATED LED TRACK KITS

Rail and 3 LED Track Heads Included



EVT1042D3A-05



EVT1042D3A-06

Common Features

- Black (05) or White (06) finishes
 - 80+ CRI
 - 3000K CCT
- Triac dimming
 - 120V input
 - 50,000 hr LED life
- 5-year warranty



Model #	Description	Wattage	Lumens	Width	Height	Depth	Weight
EVT1042D3A-05	Small Step Cylinder LED Track Head	20 W	1,500 Lm	42"	7.25"	4.5"	2.8 lbs.
EVT1042D3A-06	Small Step Cylinder LED Track Head	20 W	1,500 Lm	42"	7.25"	4.5"	2.8 lbs.

Single LED Track Heads



EVT1030D3A-05



EVT1031D3A-06



EVT1032D3-05

Common Features

- Black (05) or White (06) finishes
 - 80+ CRI
 - 3000K CCT
- Triac dimming
 - 120V input
 - 50,000 hr LED life
- 5-year warranty



Model #	Description	Wattage	Lumens	Width	Height	Depth	Weight
EVT1030D3A-05	Small Step Cylinder LED Track Head	6 W	500 Lm	4"	5.5"	2.5"	0.5 lbs.
EVT1030D3A-06	Small Step Cylinder LED Track Head	6 W	500 Lm	4"	5.5"	2.5"	0.5 lbs.
EVT1031D3A-05	Medium Step Cylinder LED Track Head	12 W	850 Lm	5.25"	6.25"	3.5"	0.8 lbs.
EVT1031D3A-06	Medium Step Cylinder LED Track Head	12 W	850 Lm	5.25"	6.25"	3.5"	0.8 lbs.
EVT1032D3-05	Large Step Cylinder LED Track Head	18 W	1,300 Lm	6.5"	7"	4.5"	1.1 lbs.
EVT1032D3A-06	Large Step Cylinder LED Track Head	15 W	1,300 Lm	6.5"	7"	4.5"	1.1 lbs.

LED FIXED-HEAD TRACK FIXTURES



EVT102027B-35



EVT101727B-35



EVT101227B-35



EVT61048D3-06



EVT61047D3-05

Common Features

- Brushed Nickel (35), Black (05), or White (06) finishes
- 80 CRI
- Triac dimming
- 120V input
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Width	Height	Depth	Weight
EVT101227B-35	4 Cylindrical Heads, Straight Bar	2700K	23 W	2,000 Lm	29.5"	5.9"	5.78"	2.5 lbs.
EVT101727B-35	4 Bullet Heads, Curved Bar	2700K	23 W	1,900 Lm	31.5"	6.6"	6"	2.5 lbs.
EVT102027B-35	4 Frosted Shade Heads, Straight Bar	2700K	23 W	1,900 Lm	29.5"	6"	4.5"	2.7 lbs.
EVT61048D3-06	6 Cuff link Heads, Adjustable Bar	3000K	38 W	3,000 Lm	52"	6"	5.12"	4.2 lbs.
EVT61047D3-05	6 Cylindrical Heads, 2 Straight Bars	3000K	29 W	2,700 Lm	52"	6.2"	5.12"	3.9 lbs.

LED TRACK LIGHT / FLUSH MOUNT COMBO KIT



1049TFD3H-35

Features

- Brushed Nickel (35) finish
- 80+ CRI
- 3000K CCT
- Triac dimming
- 120V input
- 30,000 hr LED life
- 3-year warranty



Model #	Description	Wattage	Lumens	Width	Height	Depth	Weight
1049TFD3H-35	4-Head Track Kit/Flush Mount Combo with S-Shaped Bar	30 W	2,100 Lm	34"	7.5"	7.5"	3.7 lbs.

SURFACE MOUNTS


WIZ CONNECTED SMART INTEGRATED LED FLUSH MOUNTS



LED155xRGB-BN



LED1555RGB-WH



16 Million Colors
64,000 Shades of White
Over 20 Preloaded Scenes

works with the
Google Assistant



Works with
Siri
Shortcuts

Common Features

- 16 Million Colors
- Tunable White: 2200K-6500K
- White acrylic lens
- Voice control: works with Amazon Alexa, Google Assistant, Siri Shortcuts, and IFTT
- 120V input
- Dimmable via the WIZ app
- 50,000 hr LED life
- 5-year warranty



Model #	Description	Housing Finish	Wattage	Lumens	Width	Height	Weight
LED1552RGB-BN	12" Round Smart LED Flush Mount	Brushed Nickel	14 W	1,000 Lm	12"	3.75"	2.0 lbs.
LED1553RGB-BN	14" Round Smart LED Flush Mount	Brushed Nickel	23 W	1,400 Lm	14"	3.75"	2.7 lbs.
LED1554RGB-BN	16" Round Smart LED Flush Mount	Brushed Nickel	27 W	1,800 Lm	16"	4"	3.2 lbs.
LED1555RGB-WH	14" Round Smart LED Flush Mount	White	23 W	1,600 Lm	14"	4"	2.5 lbs.

INTEGRATED LED DC FLUSH MOUNTS



EV14xxC3C-34



EV14xxC3C-35



EV14xxC3C-43

Common Features

- 3-CCT Selectable: 3000K, 4000K, and 5000K
- White acrylic lens
- 90+ CRI
- 120V input
- Dimmable
- 50,000 hr LED life
- 5-year warranty



Model #	Description	Housing Finish	Wattage	Lumens	Width	Height	Weight
EV1410C3C-34	10" Round Flush Mount	Oil Rubbed Bronze	19 W	1,200 Lm	10.5"	3.5"	1.3 lbs.
EV1410C3C-35	10" Round Flush Mount	Brushed Nickel	19 W	1,200 Lm	10.5"	3.5"	1.3 lbs.
EV1410C3C-43	10" Round Flush Mount	Matte Black	19 W	1,200 Lm	10.5"	3.5"	1.3 lbs.
EV1412C3C-34	12" Round Flush Mount	Oil Rubbed Bronze	19 W	1,200 Lm	12"	4"	2.1 lbs.
EV1412C3C-35	12" Round Flush Mount	Brushed Nickel	19 W	1,200 Lm	12"	4"	2.1 lbs.
EV1412C3C-43	12" Round Flush Mount	Matte Black	19 W	1,200 Lm	12"	4"	2.1 lbs.
EV1414C3C-34	14" Round Flush Mount	Oil Rubbed Bronze	26 W	1,400 Lm	14"	4"	2.5 lbs.
EV1414C3C-35	14" Round Flush Mount	Brushed Nickel	26 W	1,400 Lm	14"	4"	2.5 lbs.
EV1414C3C-43	14" Round Flush Mount	Matte Black	26 W	1,400 Lm	14"	4"	2.5 lbs.
EV1416C3C-34	16" Round Flush Mount	Oil Rubbed Bronze	28 W	1,800 Lm	16"	4.25"	2.7 lbs.
EV1416C3C-35	16" Round Flush Mount	Brushed Nickel	28 W	1,800 Lm	16"	4.25"	2.7 lbs.
EV1416C3C-43	16" Round Flush Mount	Matte Black	28 W	1,800 Lm	16"	4.25"	2.7 lbs.

INTEGRATED LED FLUSH MOUNTS



EV1240L3-325

Common Features

- White acrylic lens
- 90+ CRI
- 120V input
- Dimmable
- 50,000 hr LED life
- 5-year warranty



Model #	Description	Housing Finish	Wattage	Lumens	CCT	Width	Height	Depth	Weight
EV1240L3-325	12" x 40" Linear Flush Mount	Rose Gold	40 W	3,000 Lm	3000K	40"	3.5"	12"	8.6 lbs.
EV1240L4-43	12" x 40" Linear Flush Mount	Matte Black	40 W	3,000 Lm	4000K	40"	3.5"	12"	8.6 lbs.



3200LEDC-35

Common Features

- White acrylic lens
- 80+ CRI
- 3000K CCT
- 120V input
- Dimmable
- 50,000 hr LED life
- 5-year warranty



Model #	Description	Housing Finish	Wattage	Lumens	Width	Height	Depth	Weight
3200LEDC-35	32" Oval Flush Mount	Brushed Nickel	45 W	3,100 Lm	32.25"	4.75"	18"	7.6 lbs.
3200LEDC-43	32" Oval Flush Mount	Matte Black	45 W	3,100 Lm	32.25"	4.75"	18"	7.6 lbs.



EV1424C3C-43

Common Features

- 3-CCT Selectable: 3000K, 4000K, and 5000K
- White acrylic lens
- 90+ CRI
- 120V input
- Dimmable
- 50,000 hr LED life
- 5-year warranty



Model #	Description	Housing Finish	Wattage	Lumens	Width	Height	Depth	Weight
EV1424C3C-35	24" Oval Flush Mount	Brushed Nickel	40 W	2,800 Lm	24"	4.25"	13.5"	4.3 lbs.
EV1424C3C-43	24" Oval Flush Mount	Matte Black	40 W	2,800 Lm	24"	4.25"	13.5"	4.3 lbs.

SURFACE MOUNTS

INTEGRATED LED FLUSH MOUNTS



Common Features

- 80+ CRI
- 2700K (except as noted)
- 120V input
- Dimmable
- 50,000 hr LED life
- 3-year warranty



Model #	Description	Housing Finish	Wattage	Lumens	Width	Height	Weight	Title 24
LED303M-ORB-T24	13" Round Flush Mount	Oil Rubbed Bronze	21 W	1,300 Lm	13.25"	5.25"	7.8 lbs.	Yes
LED303L-ORB-T24	15" Round Flush Mount	Oil Rubbed Bronze	21 W	1,300 Lm	15"	6.25"	15.9 lbs.	Yes
LED303M-SP-T24	13" Round Flush Mount	Satin Platinum	21 W	1,500 Lm	13.25"	5.25"	7.8 lbs.	Yes
LED303L-SP-T24	15" Round Flush Mount	Satin Platinum	21 W	1,200 Lm	15"	6.25"	15.9 lbs.	Yes
LED305M-ORB-T24	13" Round Flush Mount	Oil Rubbed Bronze	21 W	1,000 Lm	13"	4.5"	5.4 lbs.	Yes
LED305M-SP-T24	13" Round Flush Mount	Satin Platinum	21 W	1,000 Lm	13"	4.5"	5.4 lbs.	Yes
LED4732-35	9" Round Flush Mount - 3000K	Brushed Nickel	13 W	750 Lm	9"	5.5"	2.2 lbs.	No
LED4760-35	6" Round Flush Mount - 3000K	Brushed Nickel	10 W	550 Lm	6"	7.5"	1.7 lbs.	No

INTEGRATED LED PUFF FLUSH MOUNTS



EV101xC5C-06



EV101xSC5C-06

Common Features

- Selectable CCT: 2700K, 3000K, 3500K, 4000K, 5000K
- White finish
- 50,000 hr LED life
- 120V input
- 5-year warranty
- Triac dimming



Model #	Description	CRI	Wattage	Lumens	Width	Height	Weight	Title 24
EV1011C5C-06	11" Round Puff LED Flush Mount	80+	15 W	1200 Lm	11"	4"	0.9 lbs.	No
EV1014C5C-06	14" Round Puff LED Flush Mount	90+	25 W	1600 Lm	13.75"	4"	1.6 lbs.	Yes
EV1011SC5C-06	11" Square Puff LED Flush Mount	90+	19 W	1200 Lm	10.75"	3.5"	1.0 lb.	Yes
EV1014SC5C-06	14" Square Puff LED Flush Mount	90+	25 W	1600 Lm	14"	4"	2.4 lbs.	Yes

INTEGRATED LED PUFF FLUSH MOUNT BATH LIGHT



154xN3MV-35

Common Features

- White acrylic lens
- 120V/277V input
- 5-year warranty
- Brushed Nickel accent
- 80+ CRI
- 3000K CCT
- 50,000 hr LED life



Model #	Description	Wattage	Lumens	Width	Height	Depth	Weight
1541N3MV-35	2' Linear LED Flush Mount Bath Light	25 W	2,200 Lm	24"	4.25"	6"	4.7 lbs.
1542N3MV-35	3' Linear LED Flush Mount Bath Light	30 W	2,700 Lm	36"	4.25"	6"	6.0 lbs.
1543N3MV-35	4' Linear LED Flush Mount Bath Light	40 W	3,700 Lm	48"	4.25"	6"	7.1 lbs.

INTEGRATED LED WALL SCONCES



LED6871-CH LED6871-SP LED67801-SP-T24

Common Features

- 2700K CCT
- 120V input
- Dimmable
- 50,000 hr LED life
- 1-year warranty

NOTE * = not ADA compliant



Model #	Description	Finish	Shade	Wattage	Lumens	Width	Height	Extension	Weight
LED6871-CH	LED Wall Sconce	Chrome	Etched Opal Glass	13 W	800 Lm	4.5"	13.75"	4"	3.0 lbs.
LED6871-SP	LED Wall Sconce	Satin Platinum	Etched Opal Glass	13 W	800 Lm	4.5"	13.75"	4"	3.0 lbs.
LED67801-SP-T24*	LED Wall Sconce	Satin Platinum	Frosted Glass	14 W	650 Lm	4.5"	9.75"	6.5"	6.0 lbs.



LED15011A-34 LED15011A-35 LED6071-SP LED6040A-35 LED33821-BNB

Common Features

- 2700K CCT
- 120V input
- Dimmable
- 50,000 hr LED life
- 1-year warranty

NOTE * = Rated for Wet locations



Model #	Description	Finish	Shade/Accent	CCT	Wattage	Lumens	Width	Height	Ext.	Weight
LED15011A-34	LED Wall Sconce	Oil Rubbed Bronze	Frosted Glass	2700K	10 W	800 Lm	7"	10"	3.5"	2.6 lbs.
LED15011A-35	LED Wall Sconce	Satin Platinum	Frosted Glass	2700K	10 W	800 Lm	7"	10"	3.5"	2.6 lbs.
LED6071-SP	LED Wall Sconce	Satin Platinum	Frosted Glass	2700K	10 W	700 Lm	6.25"	10.5"	3.5"	3.9 lbs.
LED6040A-35	LED Wall Sconce	Brushed Nickel	Frosted Glass	3000K	11 W	750 Lm	14.75"	6.75"	3"	2.4 lbs.
LED33821-BNB*	LED Wall Sconce	Burnished Bronze	Opal Glass	3000K	13 W	450 Lm	8.25"	13.5"	4"	5.0 lbs.

INTEGRATED LED WALL SCONCES



LED15012A



LED15009A-35



LED6020-AST



LED33711-BNB

Common Features

- 3000K CCT
- 120V input
- Dimmable
- 50,000 hr LED life
- 1-year warranty

NOTE * = rated for Wet locations



Model #	Description	Finish	Shade/Accent	Wattage	Lumens	Width	Height	Ext.	Weight
LED15012A	LED Wall Sconce	2 Sets of Clips: Satin Platinum & Oil Rubbed Bronze	Frosted Glass	10 W	800 Lm	12"	6.25"	5.25"	2.4 lbs.
LED15009A-35	LED Wall Sconce	Brushed Nickel	Frosted Glass	11.5 W	725 Lm	15"	7.75"	4.25"	3.0 lbs.
LED6020-AST	LED Wall Sconce	Assorted Caps	Frosted Glass	9 W	1,200 Lm	13.25"	6.5"	6.5"	3.0 lbs.
LED33711-BNB*	LED Wall Sconce	Burnished Bronze	Opal Glass	13 W	550 Lm	9.25"	13.25"	4.25"	5.0 lbs.



LED6092-LXG



LED6092-SP



LED89802-BK

Common Features

- 2700K CCT
- 120V input
- 50,000 hr LED life
- 1-year warranty

Model #	Description	Finish	Shade/Accent	Wattage	Lumens	Width	Height	Ext.	Weight
LED6092-LXG	LED Wall Sconce	Luxor Gold	n/a	21 W	500 Lm	4.5"	16"	5.25"	3.4 lbs.
LED6092-SP	LED Wall Sconce	Satin Platinum	n/a	21 W	500 Lm	4.5"	16"	5.25"	3.4 lbs.
LED89802-BK	LED Wall Sconce	Black	Clear Seedy Glass	21 W	900 Lm	14"	17"	6"	5.6 lbs.

INTEGRATED LED BATH VANITIES



LED6872-CH



LED6874-SP

Common Features

- 2700K CCT
- 120V input
- Dimmable
- 50,000 hr LED life
- 1-year or 3-year* warranty



Model #	Description	Finish	Shade	Wattage	Lumens	Width	Height	Extension	Weight
LED6872-CH	LED Bath Vanity	Chrome	Etched Opal Glass	19 W	1,250 Lm	23"	4.5"	4"	4.6 lbs.
LED6874-CH*	LED Bath Vanity	Chrome	Etched Opal Glass	25 W	1,800 Lm	30"	4.5"	4"	4.6 lbs.
LED6872-SP	LED Bath Vanity	Satin Platinum	Etched Opal Glass	19 W	1,250 Lm	23"	4.5"	4"	4.6 lbs.
LED6874-SP*	LED Bath Vanity	Satin Platinum	Etched Opal Glass	25 W	1,800 Lm	30"	4.5"	4"	4.6 lbs.



LED68303-SP-T24



LED67803-SP-T24



LED67804-SP-T24

Common Features

- 2700K CCT
- 120V input
- Dimmable
- 50,000 hr LED life
- 3-year warranty



Model #	Description	Finish	Shade	Wattage	Lumens	Width	Height	Extension	Weight
LED68303-SP-T24	LED Bath Vanity	Satin Platinum	Satin White Glass	30 W	1,900 Lm	24"	5"	4.75"	5.7 lbs.
LED68304-SP-T24	LED Bath Vanity	Satin Platinum	Satin White Glass	39 W	2,300 Lm	30"	5"	4.75"	6.5 lbs.
LED67803-SP-T24	LED Bath Vanity	Satin Platinum	Frosted Glass	35 W	1,450 Lm	18.75"	8.25"	6.5"	7.0 lbs.
LED67804-SP-T24	LED Bath Vanity	Satin Platinum	Frosted Glass	45 W	2,100 Lm	26.75"	8.25"	6.5"	9.0 lbs.



LED68204-SP

Common Features

- 2700K CCT
- 120V input
- 50,000 hr LED life
- 3-year warranty



Model #	Description	Finish	Shade	Wattage	Lumens	Width	Height	Extension	Weight
LED68203-SP	LED Bath Vanity	Satin Platinum	Satin White Glass	30 W	1,800 Lm	24"	5"	5"	5.9 lbs.
LED68204-SP	LED Bath Vanity	Satin Platinum	Satin White Glass	39 W	2,700 Lm	30"	5"	5"	7.0 lbs.

INTEGRATED LED OUTDOOR WALL LANTERNS



D248L-50W-MB
D248L-70W-MB



LED34511-RT
LED34521-RT



LED32911-BBZ
LED32921-BBZ



LED31111A-ORB
LED31121A-ORB



LED22421-BNB
LED22431-BNB



LED34031-BNB



LED34301-WI
LED34311-WI



LED32811-BNB
LED32821-BNB



LED32521-BNB
LED32531-BNB

Common Features

- 120V input
- 3000K CCT
- > 80 CRI
- 50,000 hr LED life
- 3-year warranty

NOTES * = does not qualify for Energy Star
** = ADA compliant



Model #	Description	Finish	Shade / Accent	Wattage	Lumens	Width	Height	Extension	Weight
D248L-50W-MB*	LED Wall Lantern	Matte Black	Etched White Glass	11 W	450 Lm	5.5"	12"	5"	1.5 lbs.
D248L-70W-MB*	LED Wall Lantern	Matte Black	Etched White Glass	21 W	850 Lm	7"	17.5"	6"	4.3 lbs.
LED34511-RT**	LED Wall Lantern	Rustique	Clear Seedy Glass	11 W	450 Lm	5.75"	12"	4"	3.6 lbs.
LED34521-RT	LED Wall Lantern	Rustique	Clear Seedy Glass	11 W	600 Lm	6.5"	15"	4.75"	4.9 lbs.
LED32911-BBZ	LED Wall Lantern	Burnished Bronze	Clear Crackle Glass	11 W	900 Lm	5.5"	11.75"	6.75"	5.0 lbs.
LED32921-BBZ	LED Wall Lantern	Burnished Bronze	Clear Crackle Glass	11 W	850 Lm	7"	17"	8.25"	9.0 lbs.
LED31111A-ORB	LED Wall Lantern	Oil Rubbed Bronze	Clear Crackle Glass	6 W	350 Lm	7"	13"	9.75"	3.9 lbs.
LED31121A-ORB	LED Wall Lantern	Oil Rubbed Bronze	Clear Crackle Glass	6 W	350 Lm	9"	16.25"	11.75"	3.9 lbs.
LED22421-BNB	LED Wall Lantern	Burnished Bronze	White Opal Glass	13 W	650 Lm	7"	11.5"	8.75"	4.4 lbs.
LED22431-BNB	LED Wall Lantern	Burnished Bronze	White Opal Glass	13 W	700 Lm	9"	14.5"	10.5"	7.4 lbs.
LED34031-BNB	LED Wall Lantern	Burnished Bronze	Clear Diffuser	11 W	550 Lm	9"	9"	9.25"	6.8 lbs.
LED34301-WI	LED Wall Lantern	Weathered Iron	Etched Opal Glass	11 W	600 Lm	6.5"	10.5"	6.5"	5.2 lbs.
LED34311-WI	LED Wall Lantern	Weathered Iron	Etched Opal Glass	10 W	575 Lm	6.5"	13.5"	6.5"	6.4 lbs.
LED32811-BNB	LED Wall Lantern	Burnished Bronze	Clear Seedy Glass	11 W	750 Lm	7.5"	12"	6.75"	5.0 lbs.
LED32821-BNB	LED Wall Lantern	Burnished Bronze	Clear Seedy Glass	11 W	800 Lm	9"	13.5"	6.75"	5.2 lbs.
LED32521-BNB	LED Wall Lantern	Burnished Bronze	Clear Ribbed Glass	13 W	750 Lm	7"	9"	7.5"	4.8 lbs.
LED32531-BNB	LED Wall Lantern	Burnished Bronze	Clear Ribbed Glass	13 W	850 Lm	9"	11.5"	9.5"	8.0 lbs.

OUTDOOR LANTERNS

INTEGRATED LED OUTDOOR WALL LANTERNS



LED33421-ORB
LED33431-ORB



LED33001C-SP



LED32211-BK



LED32311-FSN



7103LED-05

Common Features

- 120V input
- 3000K CCT
- > 80 CRI
- 50,000 hr LED life
- 3-year warranty



Model #	Description	Finish	Shade / Accent	Wattage	Lumens	Width	Height	Extension	Weight
LED33421-ORB	LED Wall Lantern	Oil Rubbed Bronze	Clear Seedy Glass	10 W	600 Lm	6.5"	10.25"	7.5"	4.6 lbs.
LED33431-ORB	LED Wall Lantern	Oil Rubbed Bronze	Clear Seedy Glass	10 W	550 Lm	8.5"	12.75"	9.5"	7.0 lbs.
LED33001C-SP	LED Wall Lantern	Satin Platinum	Etched Glass Diffuser	10 W	800 Lm	4.5"	7.5"	4.75"	5.0 lbs.
LED33001C-ORB	LED Wall Lantern	Oil Rubbed Bronze	Etched Glass Diffuser	10 W	800 Lm	4.5"	7.5"	4.75"	5.0 lbs.
LED32211-BK	LED Wall Lantern	Black	Frosted & Clear Glass	5.5 W	250 Lm	5.5"	8.75"	7"	3.1 lbs.
LED32311-FSN	LED Wall Lantern	Forged Sienna	Clear Glass	5.5 W	300 Lm	5.5"	10"	7"	8.9 lbs.
7103LED-05	LED Wall Lantern	Black	Clear Seedy Glass	6 W	175 Lm	6.5"	14"	7.5"	3.1 lbs.

INTEGRATED LED OUTDOOR POST LANTERNS



LED31136A-ORB



LED22436-BNB



LED34036-BNB



LED32826-BNB



LED33436-ORB



LED32536-BNB

Common Features

- 120V input
- 3000K CCT
- > 80 CRI
- 3-year warranty
- 60,000 hr LED life

NOTE * = not made from Cast Aluminum



Model #	Description	Finish	Shade / Accent	Wattage	Lumens	Width	Height	Weight
LED31136A-ORB	LED Post Lantern	Oil Rubbed Bronze	Clear Crackle Glass	6 W	300 Lm	9"	18.25"	7.0 lbs.
LED22436-BNB	LED Post Lantern	Burnished Bronze	White Opal Glass	13 W	750 Lm	9"	15.5"	4.9 lbs.
LED34036-BNB	LED Post Lantern	Burnished Bronze	Clear Diffuser	8 W	250 Lm	9"	12"	5.0 lbs.
LED32826-BNB	LED Post Lantern	Burnished Bronze	Clear Seedy Glass	11 W	650 Lm	9"	17"	4.0 lbs.
LED33436-ORB*	LED Post Lantern	Oil Rubbed Bronze	Clear Seedy Glass	10 W	450 Lm	8.5"	16.5"	6.1 lbs.
LED32536-BNB	LED Post Lantern	Burnished Bronze	Clear Ribbed Glass	13 W	800 Lm	9"	14.5"	13.1 lbs.

INTEGRATED LED OUTDOOR DARK SKY WALL LANTERNS



LED34631-BA



LED34621-ORB
LED34631-ORB



LED23221-SV

Common Features

- 120V input
- 3000K CCT
- > 80 CRI
- 60,000 hr LED life
- 3-year warranty

NOTE * = ADA compliant



Model #	Description	Finish	Shade / Accent	Wattage	Lumens	Width	Height	Extension	Weight
LED34631-BA*	LED DS Wall Lantern	Brushed Aluminum	Etched Glass Diffuser	13 W	700 Lm	9"	5"	4"	4.1 lbs.
LED34621-ORB*	LED DS Wall Lantern	Oil Rubbed Bronze	Etched Glass Diffuser	13 W	700 Lm	7"	5"	3.5"	4.1 lbs.
LED34631-ORB*	LED DS Wall Lantern	Oil Rubbed Bronze	Etched Glass Diffuser	13 W	700 Lm	9"	5"	4"	4.1 lbs.
LED23221-SV	LED DS Wall Lantern	Silver	n/a	10 W	500 Lm	8"	12"	9.5"	2.6 lbs.



LED32611-BNB
LED32621-BNB



LED33001-SP



LED33001-ORB

Common Features

- 120V input
- 3000K CCT
- 70 CRI
- 3-year warranty
- 60,000 hr LED life

NOTE * = Energy Star rated and made from Cast Aluminum



Model #	Description	Finish	Shade / Accent	Wattage	Lumens	Width	Height	Extension	Weight
LED32611-BNB*	LED DS Wall Lantern	Burnished Bronze	n/a	10 W	325 Lm	6"	15.5"	5"	3.7 lbs.
LED32621-BNB*	LED DS Wall Lantern	Burnished Bronze	n/a	10 W	400 Lm	7"	18"	6"	5.0 lbs.
LED33001-SP	LED DS Wall Lantern	Satin Platinum	Etched Glass Diffuser	7.5 W	500 Lm	4.5"	6"	4.75"	5.0 lbs.
LED33001-ORB	LED DS Wall Lantern	Oil Rubbed Bronze	Etched Glass Diffuser	7.5 W	500 Lm	4.5"	6"	4.75"	5.0 lbs.

INTEGRATED LED SECURITY FLOOD LIGHTS



FL14NT50-48



FL17NT50-48



3F10NV57-48



3F10DV57-48

Common Features

- Bronze finish
- Tempered glass lens
- 120V input
- 100° beam angle
- Min starting temp 0° C / 32° F
- > 80 CRI
- 6KV surge protection
- 50,000 hr LED life
- 5-year warranty

NOTE * = IP65 Rated



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
FL14NT50-48	LED Security Flood Light	5000K	12 W	1,000 Lm	83 Lm/W	5.2"	4.9"	4.1"	0.8 lbs.
FL17NT50-48	LED Security Flood Light	5000K	24 W	2,200 Lm	92 Lm/W	5.2"	4.9"	4.1"	1.0 lb.
3F10NV57-48*	3-Head LED Security Flood Light	5700K	45 W	4,000 Lm	89 Lm/W	17.5"	7.5"	6.7"	3.8 lbs.
3F10DV57-48*	3-Head LED Security Flood Light - Dusk to Dawn	5700K	45 W	4,000 Lm	89 Lm/W	17.5"	7.5"	6.7"	3.8 lbs.



FL2016N40-06



FL2016N40-48

Common Features

- Available finishes (xx): White (06), or Bronze (48)
- 120V input
- Min starting temp 0° C / 32° F
- > 80 CRI
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
FL2016N40-xx	LED Security Flood Light	4000K	20 W	1,800 Lm	90 Lm/W	7"	7"	4.75"	2.2 lbs.

INTEGRATED LED WALL PACKS



WP3xxV50-48

Common Features

- Corrosion-resistant bronze powder coating
- Borosilicate glass prismatic shade
- 120/277V input
- 100° beam angle
- Min starting temp 0° C / 32° F
- > 80 CRI
- 6KV surge protection
- 50,000 hr LED life
- 5-year warranty



Model #	Description	BUG Rating	Dimming	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
WP30PV50-48	LED Wall Pack	B1-U3-G3	0-10V	5000K	30 W	4,000 Lm	133 Lm/W	14.1"	9.2"	9"	8.4 lbs.
WP3BPV50-48	LED Wall Pack	B1-U3-G4	0-10V	5000K	45 W	6,200 Lm	138 Lm/W	14.1"	9.2"	9"	9.2 lbs.
WP3EPV50-48	LED Wall Pack	B2-U4-G3	0-10V	5000K	67 W	9,200 Lm	137 Lm/W	14.1"	9.2"	9"	9.8 lbs.

LED T8 WRAPAROUNDS

LED T8 Lamps Included



WA09Txxx

Common Features

- White Housing
- 120/277V input
- 83 CRI
- 50,000 hr LED life
- 5-year warranty
- Sensor available
- Only T8 tubes are DLC listed
- Battery Backup available - Add suffix "B" to any of the 4 models below



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
WA09T1840	4' x 9" 2-Light LED Flush Mount MV Wraparound	4000K	28 W	3,600 Lm	129 Lm/W	48"	3.25"	9"	8.8 lbs.
WA09T1850	4' x 9" 2-Light LED Flush Mount MV Wraparound	5000K	28 W	3,600 Lm	129 Lm/W	48"	3.25"	9"	8.8 lbs.
WA09T3540	4' x 9" 2-Light LED Flush Mount MV Wraparound	4000K	52 W	7,000 Lm	135 Lm/W	48"	3.25"	9"	8.8 lbs.
WA09T3550	4' x 9" 2-Light LED Flush Mount MV Wraparound	5000K	52 W	7,000 Lm	135 Lm/W	96"	3.25"	9"	8.8 lbs.

INTEGRATED LED WRAPAROUNDS

WL11100DM40
WL1165DM3095

WL0554DM50



WA304BL301

Common Features

- White Housing
- 120/277V input
- Dimmable
- 50,000 hr LED life
- 5-year warranty
- Sensor available



Model #	Description	CRI	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
WL0554DM50	4' x 5" Flush Mount MV Wraparound	83	5000K	60 W	5,000 Lm	82 Lm/W	48"	1.36"	5.13"	8.8 lbs.
WL11100DM40	4' x 11" Flush Mount MV Wraparound	83	4000K	100 W	10,000 Lm	100 Lm/W	48"	1.65"	11.3"	8.8 lbs.
WL1165DM3095	4' x 11" Flush Mount MV Wraparound	95	3000K	100 W	6,500 Lm	65 Lm/W	48"	1.65"	11.3"	8.8 lbs.
WA304BL301	3' x 4" Semi-Flush Mount MV Wraparound	83	4000K	33 W	3,000 Lm	91 Lm/W	36"	2.5"	4"	8.8 lbs.

STRIP LIGHTS

INTEGRATED LED SLIM STRIP LIGHTS



ST4N48DMDxx



ST8N96DMDxx

Common Features

- White Housing
- 120/277V input
- 80+ CRI
- Dimmable
- 50,000 hr LED life
- 5-year warranty
- Sensor available



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
ST4N40DMD35	4' LED Slim Strip Light	3500K	38 W	4,000 Lm	105 Lm/W	48"	2.75"	2"	5.6 lbs.
ST4N48DMD40	4' LED Slim Strip Light	4000K	43 W	5,000 Lm	116 Lm/W	48"	2.75"	2"	5.6 lbs.
ST4N48DMD50	4' LED Slim Strip Light	5000K	43 W	5,000 Lm	116 Lm/W	48"	2.75"	2"	5.6 lbs.
ST8N96DMD40	8' LED Slim Strip Light	4000K	84 W	10,000 Lm	119 Lm/W	96"	2.75"	2"	11.0 lb.
ST8N96DMD50	8' LED Slim Strip Light	5000K	84 W	10,000 Lm	119 Lm/W	96"	2.75"	2"	11.0 lb.

INTEGRATED LED MEDIUM STRIP LIGHTS



ST8L74DMD40



ST8L117DMD40



ST4LSWDMDSCL

Common Features

- White Housing
- 120/277V input
- 80+ CRI
- Dimmable
- 50,000 hr LED life
- 5-year warranty
- Sensor available




Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
ST8L74DMD40	8' LED Medium Strip Light	4000K	69.1 W	7,400 Lm	107 Lm/W	96"	3.5"	3"	10.3 lbs.
ST8L117DMD40	8' LED Medium Strip Light	4000K	90 W	11,700 Lm	130 Lm/W	96"	3.5"	3.4"	10.0 lbs.
ST4LSWDMDSCL	4' LED Medium Strip Light Selectable Wattage and CCT	3500K	34 W	4,400 Lm	129 Lm/W	48"	3.5"	3.4"	4.5 lbs.
		4000K	38 W	5,000 Lm	132 Lm/W				
		5000K	45 W	5,900 Lm	131 Lm/W				

LED T8 STRIP LIGHTS

LED T8 Lamps Included



ST702Txxx



ST704Txxx

Common Features

- White Housing
- 120/277V input
- 80+ CRI
- 50,000 hr LED life
- 5-year warranty
- Sensor available
- Only T8 tubes are DLC listed
- For use with Type B, Single end powered LED T8 tubes only



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
ST702T1835	4' Strip, 2 LED Lamps	3500K	28 W	3,600 Lm	129 Lm/W	48"	2.1"	4"	6.5 lbs.
ST702T1840	4' Strip, 2 LED Lamps	4000K	28 W	3,600 Lm	129 Lm/W	48"	2.1"	4"	6.5 lbs.
ST702T1850	4' Strip, 2 LED Lamps	5000K	28 W	3,600 Lm	129 Lm/W	48"	2.1"	4"	6.5 lbs.
ST702T3535	4' Strip, 2 LED Lamps, High Lumen	3500K	52 W	6,500 Lm	125 Lm/W	48"	2.1"	4"	6.5 lbs.
ST702T3540	4' Strip, 2 LED Lamps, High Lumen	4000K	52 W	7,000 Lm	135 Lm/W	48"	2.1"	4"	6.5 lbs.
ST702T3550	4' Strip, 2 LED Lamps, High Lumen	5000K	52 W	7,000 Lm	135 Lm/W	48"	2.1"	4"	6.5 lbs.
ST704T1835	8' Strip, 4 LED Lamps	3500K	56 W	7,200 Lm	129 Lm/W	96"	2.1"	4"	12.5 lbs.
ST704T1840	8' Strip, 4 LED Lamps	4000K	56 W	7,200 Lm	129 Lm/W	96"	2.1"	4"	12.5 lbs.
ST704T1850	8' Strip, 4 LED Lamps	5000K	56 W	7,200 Lm	129 Lm/W	96"	2.1"	4"	12.5 lbs.
ST704T3535	8' Strip, 4 LED Lamps, High Lumen	3500K	104 W	13,000 Lm	125 Lm/W	96"	2.1"	4"	12.5 lbs.
ST704T3540	8' Strip, 4 LED Lamps, High Lumen	4000K	104 W	14,000 Lm	135 Lm/W	96"	2.1"	4"	12.5 lbs.
ST704T3550	8' Strip, 4 LED Lamps, High Lumen	5000K	104 W	14,000 Lm	135 Lm/W	96"	2.1"	4"	12.5 lbs.
EVSS42T8	4' Strip Fixture - Housing Only	n/a	n/a	n/a	n/a	48"	2.75"	4"	4.2 lbs.
EVSS84T8	8' Strip Fixture - Housing Only	n/a	n/a	n/a	n/a	96"	2.75"	4"	8.4 lbs.

OPTIONAL BATTERY BACKUP


Add suffix "B" to any model above

Model #	Lamp Operated	Voltage	Emergency Operation	Operating Temp.	Battery
VEMB5W	Espen Flex Glass and Flex DE Type B LED T8 lamps	120/277V	90 mins.	-20° F to 130° F	Lithium Ion

WIZ CONNECTED SMART INTEGRATED LED TROFFER



EVTR24DI48DTWP

works with the
Google AssistantWORKS WITH
alexaWorks with
IFTTTWorks with
Siri
Shortcuts

Common Features

- Control with the WIZ smart phone app
- Wi-Fi, cloud based
- No hub needed - easy setup
- White housing
- Dimming via the WIZ app
- Power factor 0.99
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
EVTR24DI48DTWP	2' X 4' LED Volumetric Troffer	Tunable	37 W	4,800 Lm	130 Lm/W	48"	3.625"	24"	20.0 lbs.

WHITE LENS INTEGRATED LED BACKLIT TROFFERS



TRS22BL30WD



TRS24BL50WD

Common Features

- White Housing
- 120/277V input
- 80+ CRI
- Dimmable
- Power factor 0.99
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
TRS22BL30WD	Shallow 2' x 2' White Lens Troffer	4000K	27 W	3,100 Lm	115 Lm/W	24"	1.75"	24"	11.0 lb.
TRS24BL50WD	Shallow 2' x 4' White Lens Troffer	4000K	43 W	5,100 Lm	119 Lm/W	48"	1.75"	24"	17.9 lbs.

PRISMATIC LENS INTEGRATED LED BACKLIT TROFFERS



TRS22BL20WD



TRS24BL40WD

Common Features

- White Housing
- 120/277V input
- 80+ CRI
- Dimmable
- Min ambient temp 0° C / 32° F
- Max ambient temp 40° C / 104° F
- Power factor 0.99
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
TRS22BL20PD	Shallow 2' x 2' White Lens Troffer	4000K	27 W	3,100 Lm	115 Lm/W	24"	1.75"	24"	11.0 lbs.
TRS24BL40PD	Shallow 2' x 4' White Lens Troffer	4000K	43 W	5,100 Lm	119 Lm/W	48"	1.75"	24"	17.9 lbs.

INTEGRATED LED BACKLIT HIGH BAYS



HB2B13DMP50



HB2B19DMP50



HB4B28DMP50

Common Features

- White housing
- 120/277V input
- 80+ CRI
- Power factor 0.99
- THD <20%
- Dimmable
- 50,000 hr LED life
- 5 year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
HB2B13DMP50	2' LED High Bay Backlit Fixture	5000K	91 W	12,800 Lm	141 Lm/W	24.75"	1.75"	11"	8.6 lbs.
HB2B19DMP50	2' LED High Bay Backlit Fixture	5000K	146 W	20,000 Lm	137 Lm/W	24.75"	1.75"	11"	8.6 lbs.
HB4B28DMP50	4' LED High Bay Backlit Fixture	5000K	205 W	28,200 Lm	138 Lm/W	49.9"	3.67"	12.6"	16.8 lbs.

INTEGRATED LED ROUND HIGH BAYS

High Efficiency - Utility Rebate Eligible



HBRxxDMDP50

Common Features

- Black housing
- 120/277V input
- 80+ CRI
- Lenses Available
- Wire Guards Available
- Battery Backup Available
- 50,000 hr LED life
- 5 year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Diameter	Height	Weight
HBR14DMDP50	9" Round High Bay	5000K	80 W	14,400 Lm	180 Lm/W	9"	2"	4.4 lbs.
HBR22DMDP50	11" Round High Bay	5000K	120 W	21,600 Lm	180 Lm/W	11"	2"	6.0 lbs.
HBR27DMDP50	11" Round High Bay	5000K	150 W	27,000 Lm	180 Lm/W	11"	2"	6.0 lbs.
HBR36DMDP50	11" Round High Bay	5000K	200 W	36,000 Lm	180 Lm/W	11"	2"	6.0 lbs.

LED T8 HIGH BAYS
LED T8 Lamps Included



HBA6Txxx

Common Features

- White Housing
 - 120/277V input
 - 80+ CRI
- Power factor 0.92
 - THD <20%
 - Only T8 tubes are DLC listed
- 50,000 hr LED life
 - 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
HBA6T1835	High Bay, 6 LED T8 Lamps	3500K	86 W	10,800 Lm	126 Lm/W	48.25"	2.9"	16.8"	17.5 lbs.
HBA6T1840	High Bay, 6 LED T8 Lamps	4000K	85 W	10,800 Lm	127 Lm/W	48.25"	2.9"	16.8"	17.5 lbs.
HBA6T1850	High Bay, 6 LED T8 Lamps	5000K	84 W	10,800 Lm	128 Lm/W	48.25"	2.9"	16.8"	17.5 lbs.
HBA6T3535	High Bay, 6 LED T8 Lamps, High Lumen	3500K	156 W	19,500 Lm	125 Lm/W	48.25"	2.9"	16.8"	17.5 lbs.
HBA6T3540	High Bay, 6 LED T8 Lamps, High Lumen	4000K	156 W	21,000 Lm	135 Lm/W	48.25"	2.9"	16.8"	17.5 lbs.
HBA6T3550	High Bay, 6 LED T8 Lamps, High Lumen	5000K	156 W	21,000 Lm	135 Lm/W	48.25"	2.9"	16.8"	17.5 lbs.

Model #	Description	CCT	Wattage	Lumens
930-174-ES-1	4' replacement LED T8 Bulb	3500K	14 W	1,800 Lm
902-454-ES-1	4' replacement LED T8 Bulb	4000K	14 W	1,800 Lm
906-247-ES-1	4' replacement LED T8 Bulb	5000K	14 W	1,800 Lm
930-564-ES-1	4' replacement LED T8 Bulb, High Lumen	3500K	25 W	3,300 Lm
930-565-ES-1	4' replacement LED T8 Bulb, High Lumen	4000K	25 W	3,500 Lm
930-566-ES-1	4' replacement LED T8 Bulb, High Lumen	5000K	25 W	3,500 Lm

Model #	Description	Voltage	Width	Height	Depth	Weight	Warranty
EVHBA6T8	4' High Bay Housing Wired for use with Type B Single End powered LED T8 tubes only	120/277V	49"	2.75"	17"	16 lbs.	5-year

LED T8 SHOP LIGHTS

LED T8 Lamps, Power Cord, and Plug Included



SL602Txxx

Common Features

- White Housing
- 120/277V input
- 80+ CRI
- Power factor 0.92
- Min ambient temp -20°C / -4°F
- Max ambient temp 40°C / 104°F
- THD <20%
- Only T8 tubes are DLC listed
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
SL602T1840	2 Lamp, 4' Shop Light	4000K	28 W	3,600 Lm	126 Lm/W	48"	2.5"	6"	4.6 lbs.
SL602T1850	2 Lamp, 4' Shop	5000K	28 W	3,600 Lm	126 Lm/W	48"	2.5"	6"	4.6 lbs.
SL602T3535	2 Lamp, 4' Shop Light, High Lumens	3500K	70 W	6,500 Lm	126 Lm/W	48"	2.5"	6"	4.6 lbs.
SL602T3540	2 Lamp, 4' Shop Light, High Lumens	4000K	70 W	7,000 Lm	126 Lm/W	48"	2.5"	6"	4.6 lbs.
SL602T3550	2 Lamp, 4' Shop Light, High Lumens	5000K	70 W	7,000 Lm	126 Lm/W	48"	2.5"	6"	4.6 lbs.

VAPOR TIGHT / BARN LIGHT



GL14R30130



AS1AD40-27

Common Features

- Power factor 0.99
- THD <20%
- 5-year warranty





Model #	Description	Voltage	CCT	Wattage	Lumens	Efficacy	CRI	Width	Height	Depth	Weight
GL14R30130	Integrated LED Vapor Tight	120/227V	3000K	22 W	3,000 Lm	136 Lm/W	80	14"	4"	14"	4.0 lbs.
AS1AD40-27	Integrated LED Barn Light	120V	4000K	31 W	5,000 Lm	161 Lm/W	70	7.6"	4.85"	11.7"	6.0 lbs.

INDEX

ITEM #	PAGE	ITEM #	PAGE	ITEM #	PAGE	ITEM #	PAGE
1049TFD3H-34	13	EV35062RFGWH40	3	EVDK690DBZ30	10	EVL4741DCWH	7
1541N3MV-35	17	EV36081WH30	2	EVDK690DWH27	10	EVL4741SCWH	7
1542N3MV-35	17	EV36081WH40	2	EVDK690DWH30	10	EVL4741WHWH	7
1543N3MV-35	17	EV36082WH30	3	EVDK690DWH40	10	EVL6741BK	7
3200LEDC-35	15	EV36082WH40	3	EVDSK46010CWH27	10	EVL6741BN	7
3200LEDC-43	15	EV407943WH27	4	EVDSK46010CWH30	10	EVL6741BZ	7
3F10DV57-48	24	EV407943WH30	4	EVDSK46010CWH40	10	EVL6741DCWH	7
3F10NV57-48	24	EV407943WH35	4	EVDSK69015CWH27	10	EVL6741SCWH	7
7103LED-05	22	EV407943WH40	4	EVDSK69015CWH30	10	EVL6741WHWH	7
902-454-ES-1	30	EV407943WH50	4	EVDSK69015CWH40	10	EVR2000LA	8
906-247-ES-1	30	EV407947WH27	5	EVDSK81825CWH27	10	EVR2000LR	8
930-174-ES-1	30	EV407947WH30	5	EVDSK81825CWH30	10	EVR6LICATB	8
930-564-ES-1	30	EV407947WH35	5	EVDSK81825CWH40	10	EVR6LICRAT	8
930-565-ES-1	30	EV407947WH40	5	EVHBA6T8	30	EVR6SLICAT	8
930-566-ES-1	30	EV407947WH50	5	EVL4730NWH30	6	EVRH2000BB	9
AS1AD40-27	31	EV457RWK50WH	2	EVL4730NWH35	6	EVRH2000RA	9
D248L-5OW-MB	21	EV457SWK50WH	2	EVL4733CWH27	6	EVRH5000SICATA	9
D248L-7OW-MB	21	EV480102RFGWH30	3	EVL4733CWH35	6	EVRH7ICATC	9
EV1011C5C-06	17	EV480102RFGWH40	3	EVL4733CWH40	6	EVRH7ICRATA	9
EV1011SC5C-06	17	EV490111WH30	2	EVL4733CWH50	6	EVRT201LWH	9
EV1014C5C-06	17	EV490111WH40	2	EVL4733Cyy30 *	6	EVRT202CLR	9
EV1014SC5C-06	17	EV490112WH30	3	EVL4741BWH30	7	EVRT205WH	9
EV1240L3-325	15	EV490112WH40	3	EVL4741BWH40	7	EVRT432G2WH	9
EV1240L4-43	15	EV608943WH27	4	EVL4742Bxx30 *	6	EVRT601WH	9
EV1410C3C-34	14	EV608943WH30	4	EVL4742Bxx40 *	6	EVRT603WH	9
EV1410C3C-35	14	EV608943WH35	4	EVL6730NWH27	6	EVRT610BWWH	9
EV1410C3C-43	14	EV608943WH40	4	EVL6730NWH30	6	EVRT610MWWH	9
EV1412C3C-34	14	EV608943WH50	4	EVL6730NWH40	6	EVRT610WH	9
EV1412C3C-35	14	EV608947WH27	5	EVL6730NWH50	6	EVRT624CL	9
EV1412C3C-43	14	EV608947WH30	5	EVL6733CWH27	6	EVRT634WH	9
EV1414C3C-34	14	EV608947WH35	5	EVL6733CWH35	6	EVRT635WH	9
EV1414C3C-35	14	EV608947WH40	5	EVL6733CWH40	6	EVRT70WH	9
EV1414C3C-43	14	EV608947WH50	5	EVL6733CWH50	6	EVSS42T8	27
EV1416C3C-34	14	EV612947WH30	5	EVL6733Cyy30 *	6	EVSS84T8	27
EV1416C3C-35	14	EV612947WH40	5	EVL6741BWH30	7	EVT101227B-35	13
EV1416C3C-43	14	EV685RWK50WH	2	EVL6741BWH40	7	EVT101727B-35	13
EV1424C3C-35	15	EV685RWMVWH50	2	EVL6742Bxx30 *	6	EVT102027B-35	13
EV1424C3C-43	15	EV685SWK50WH	2	EVL6742Bxx40 *	6	EVT1030D3A-05	12
EV23552WH30	3	EV685SWMVWH50	2	EVL69093CWH40	8	EVT1030D3A-06	12
EV23552WH40	3	EV814RWMVWH50	2	EVL69093CWH50	8	EVT1031D3A-05	12
EV26081WH30	2	EV814SWMVWH50	2	EVL69093Cxx30 *	8	EVT1031D3A-06	12
EV26081WH40	2	EVDK690DBK30	10	EVL4741BN	7	EVT1032D3-05	12
EV35062RFGWH30	3	EVDK690DBK40	10	EVL4741BZ	7	EVT1032D3A-06	12

ITEM #	PAGE	ITEM #	PAGE	ITEM #	PAGE	ITEM #	PAGE
EVT1042D3A-05	12	LED15012A	19	LED34511-RT	21	ST702T1835	27
EVT1042D3A-06	12	LED1552RGB-BN	14	LED34521-RT	21	ST702T1840	27
EVT61047D3-05	13	LED1553RGB-BN	14	LED34621-ORB	23	ST702T1850	27
EVT61048D3-06	13	LED1554RGB-BN	14	LED34631-BA	23	ST702T3535	27
EVTR24DI48DTWP	28	LED1555RGB-WH	14	LED34631-ORB	23	ST702T3540	27
FL14NT50-48	24	LED22421-BNB	21	LED34721-BA	23	ST702T3550	27
FL17NT50-48	24	LED22431-BNB	21	LED34721-ORB	23	ST704T1835	27
FL2016N40-xx *	24	LED22436-BNB	22	LED34731-BA	23	ST704T1840	27
GL14R30130	31	LED2311-SV	23	LED34731-ORB	23	ST704T1850	27
HB2B13DMP50	29	LED303L-ORB-T24	16	LED4732-35	16	ST704T3535	27
HB2B19DMP50	29	LED303L-SP-T24	16	LED4760-35	16	ST704T3540	27
HB4B28DMDP50	29	LED303M-ORB-T24	16	LED6020-AST	19	ST704T3550	27
HBA6T1835	30	LED303M-SP-T24	16	LED6040A-35	18	ST8L117DMD40	26
HBA6T1840	30	LED305-ORB-T24	16	LED6071-SP	18	ST8L74DMD40	26
HBA6T1850	30	LED305-SP-T24	16	LED6092-LXG	19	ST8N96DMD40	26
HBA6T3535	30	LED31111A-ORB	21	LED6092-SP	19	ST8N96DMD50	26
HBA6T3540	30	LED31121A-ORB	21	LED67801-SP-T24	18	TRS22BL20WD	28
HBA6T3550	30	LED31136A-ORB	22	LED67803-SP-T24	20	TRS22BL30WD	28
HBR14DMDP50	29	LED32211-BK	22	LED67804-SP-T24	20	TRS24BL40WD	28
HBR22DMDP50	29	LED32311-FSN	22	LED68203-SP	20	TRS24BL50WD	28
HBR27DMDP50	29	LED32521-BNB	21	LED68204-SP	20	VEMB5W	27
HBR36DMDP50	29	LED32531-BNB	21	LED68303-SP-T24	20	WA09T1840	25
LED127	11	LED32536-BNB	22	LED68304-SP-T24	20	WA09T1850	25
LED1271-OSB	11	LED32611-BNB	23	LED6871-CH	18	WA09T3540	25
LED1271-SP	11	LED32621-BNB	23	LED6871-SP	18	WA09T3550	25
LED1272-WP	11	LED32811-BNB	21	LED6872-CH	20	WA304BL301	25
LED1274-PN	11	LED32821-BNB	21	LED6872-SP	20	WL0554DM50	25
LED1276-SB	11	LED32826-BNB	22	LED6874-CH	20	WL11100DM40	25
LED1277-SB	11	LED32911-BBZ	21	LED6874-SP	20	WL1165DM3095	25
LED1279-BK	11	LED32921-BBZ	21	LED89802-BK	19	WP30PV50-48	24
LED1279-CH	11	LED33001-ORB	23	RB6BKBK9T1430	8	WP3BPV50-48	24
LED129	11	LED33001-SP	23	RB6BZBZ9T1430	8	WP3EPV50-48	24
LED1291-OSB	11	LED33001C-ORB	22	RB6WHWH9T1430	8		
LED1291-SP	11	LED33001C-SP	22	RB6WHWH9T1440	8		
LED1292-WP	11	LED33421-ORB	22	SL602T1840	31		
LED1294-PN	11	LED33431-ORB	22	SL602T1850	31		
LED1296-SB	11	LED33436-ORB	22	SL602T3535	31		
LED1297-SB	11	LED33711-BNB	19	SL602T3540	31		
LED1299-BK	11	LED33821-BNB	18	SL602T3550	31		
LED1299-CH	11	LED34031-BNB	21	ST4LSWDMDS	26		
LED15009A-35	19	LED34036-BNB	22	ST4N40DMD35	26		
LED15011A-34	18	LED34301-WI	21	ST4N48DMD40	26		
LED15011A-35	18	LED34311-WI	21	ST4N48DMD50	26		



DESIGNERS FOUNTAIN®
PROFESSIONAL PRODUCTS

PRODUCT CATALOG
JANUARY 2022

© Designers Fountain 2022. All Rights Reserved.

20101 South Santa Fe Avenue
Rancho Dominguez, CA 90221

designersfountain.com
800.228.6197

